



## **UFO High Bay LANZAROTE LED**

### **PROFESSIONAL LIGHTING**

LANZAROTE is the ideal solution for overhead lighting in any space, from a room to an industrial warehouse.



## HIGH BAY UFO LANZAROTE LED

“

PROFESSIONAL  
LED SPOTLIGHTS  
WITH WIDE  
RANGE OF  
POWERS.  
MAXIMUM  
EFFICIENCY

”

**Philips driver and Philips LEDs are used for the series HIGH BAY LANZAROTE UFO.**

With strict quality control, it guarantees a brightness of more than 90% after 5 years of regular use.



# LED FEATURES



- » EASY PLACEMENT
- » POSITION ANGLE
- » GREAT RESISTANCE

## 3 LENS OPTIONS

THREE OPTICS TO CHOOSE FROM  
120° | 90° | 60°



LED PHILIPS

DRIVER SOSEN


160

Lm/W

®

# TECHNICAL CHARACTERISTICS

- **Housing:** Die-cast
- **Conductivity:** 96 W/m K
- **LED:** PHILIPS
- **CRI:** Ra>80
- **SDCM:** <6
- **Power factor:** >0.95
- **THD:** <15
- **Power Supply:** PHILIPS
- **Driver efficiency:** >93%
- **Protection:** OTP, OCP, OVP, SCP
- **Surge protection:** 10KV
- **Waterproof:** IP65
- **Impact test:** IK08
- **Operating temperature:** -40~60 °C
- **TM21:** L90B10>50,000H
- **Flicker Free**





## EXTRAS CUSTOM MANUFACTURING



Model	W	V	Lum	CRI	IP	Dimensions
LZ100-120-5K	100 W	220~240V	16000LM	>80	IP65	D248*H158MM
LZ150-120-5K	150 W	220~240V	24000LM	>80	IP65	D308*H168MM
LZ200-120-5K	200 W	220~240V	32000LM	>80	IP65	D360*H174MM
LZ240-120-5K	240 W	220~240V	38400LM	>80	IP65	D360*H174MM

## OPTICS OPTIONS



+34 916357859



WWW.OPTIMALED.EU

# OptimaLED<sup>®</sup> ProTour<sup>®</sup>

LIGHTING EVOLUTION

“

LEADING THE  
WALK TO  
A FUTURE  
BRIGHT

”



[WWW.OPTIMALED.EU](http://WWW.OPTIMALED.EU)

C/ Geológicas, 62  
28923 Madrid - Spain

PHONE  
+34 916357859