



## **LED sensor Ceiling light**

**Movement detector  
CCT (3000K-4000K-6000K) - OSRAM CHIP**

LED made of aluminum + PMMA.  
With a white finish and a power of  
20W is a product especially for  
pass zone.

# TECHNICAL CHARACTERISTICS

- **Housing: Aluminum +PC**
- **Power: 24W - 22W- 20W -18W**
- **LED: SMD 2835**
- **CRI: 80**
- **Power Supply: 85V-265V**
- **Range (M): 6 m.**
- **OPENING ANGLE: 120°**
- **Operating temperature: -20~55 °C**
- **Operating temperature: 3000K-4000K-6000K**
- **Lifespan: 40,000**



<b>24-22-20-18 W</b>			<b>2200Lm</b>		<b>A+</b>	<b>110 Lm/W REALES</b>	



+34 916357859



WWW.OPTIMALED.EU

# OptimaLED<sup>®</sup> ProTour<sup>®</sup>

LIGHTING **EVOLUTION**



LEADING  
THE WAY  
TOWARDS A  
BRIGHT



[WWW.OPTIMALED.EU](http://WWW.OPTIMALED.EU)

C/ Geológicas, 62  
28923 Madrid - Spain

PHONE  
[+34916357859](tel:+34916357859)