

OptimaLED[®]



ProTour[®] **ASYMMETRIC**
LINEAR PADEL 



LINEAR LED
PADEL

*Innovative Professional Lighting system
for Paddle Courts*

LINEAR LED

Our Linear Asymmetric Optics is specially designed for Paddle Courts. They have advantages compared to traditional spotlights, achieving softer light and greater uniformity.

FEATURES

- ✓ WITHOUT SHADOWS
- ✓ NO REFLECTIONS
- ✓ WITH UNIFORM LIGHT



SOSEN
flicker free



ASYMMETRIC



RGB + 5700°K



USE
INSIDE



LOW
GLARE


Technical Characteristics

ProTour[®] ASYMMETRIC LINEAR PADEL

- > Housing: Pure aluminum thermal
- > Power: 280W
- > CRI: Ra>80
- > SDCM: <6
- > Power factor: >0.95
- >THD: <15
- > Driver: RGBW DMX512
- > Protection: OTP, OCP, OVP, SCP
- > Waterproof: IP65
- > Impact test: IK08
- > Electrical: 100-240V, 50/60Hz
- > Operating temperature: -40~50 °C
- > TM21: L90B10>50,000H
- > Lifespan: 50,000H
- > Lumens: 39,200H



XLR Connector





LIGHTING EVOLUTION

OptimaLED[®]
ProTour[®]

CONTACT

C/ Geológicas, 62
28923 Madrid - Spain

PHONE
+34916357859

MAIL
INFO@OPTIMALED.ES